

COVID-19

"

"

"

"

"

"

"

"

"

"

2019-nCoV

75%

2-4

" "

1

3

1. 3
2. 3 18 1
3. 60
- 4.

与

1.

"

"

2

2

2

3.

1

20%

4.

3 7

5.

6.

7.

8.

3

1.

2

7

2.

8

1.

2

4

24

2.

" "

" 7 +3

" " 7+3"

1 2 3 5

7

3

" 5 +5

" 1 2 3 5

2 5

"

"

OK

7

1 4 7

7

5

3.

"

"

7

3

"

"

7

"

"

48

6

4.

2

" "

24

7 7
1 2 3 5 7
7 7
1 4 7

7

3

与

“

”

7

因

8

8

"

"

60

/

"

"

9

" "

10

" "

11

5

I ab ORF1ab

N

" "

12

Ct 32

Ct 30

12

" 7

+3

"

1 2 3 5 7
3

1 4 7

与

7

1 4 7

因

“

”

48

13

与

14

六

24

与 加

10.

11.

12.

13.

14.

8

1

2 3

20 30

75%

"

"

3

"

"

2

2

2

2

2

与

CT

1.

2.

3.

2

"

"

1

与

1

20%

1

因

3 7

1.

2.

3.

六

Ct 32

Ct 30

与

1.

-70

/

2.

3.

WHO

"

"

Variant of Interest VOI

"

"

Variant of Concern VOC

1.

2.

1.

2.

3.

专

2

2

"

"

"

"

"

"

2

2

2

24

24

24

2

"

"

专

2

2

"

"

"

"

24

与

2

1.

2.

1		1
2		
3		
4		
5		
6		1
7		
8		2
9		
10		
11		
12		
13		
14		
15		1
16		
17		
18		
19		
20		
		1
		1
		20%
		1

六

与

50

24

200

1000

500

1.

2.

3.

4.

5.

与

1.

2

7

4

4-1 24

4-2

1 3

5

3.

4.

"

"

24

与

因

"

"

word

2

" "

4-1.

4-2.

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1.		2.	
3.		4.	5. :
6.			

/	

1.

2.

20XX XX XX XX XXXX XXX
X PCR XX XX XX XX
XX XX XX XX

XXXX

/

/

/

/

CT

d " " " "

XX XX XX

2

2

š ?

†

/ /

7.

1

5-1

8.

9.

OK

与

专

1.

8

" 7

+3

"

" 7+3"

" 5

+5

"

" 5+5"

7

1 14

2

2.

7

1 4 7

7

3.

1 3

1.

2.

" 7+3"

1 2 3 5 7

3

" 5+5"

1 2 3 5

2 5

1 4 7

3.

4.

5.

"

"

与

N95/KN95

因

5-2

5-1

5-2


1.

2.

3.

4.

2



/												

4

"

"

1.

2. " "

" "

3. 7 7 3

1.

2. " "

3. 7 7

与 体

" " 48

因

1.

2.

3.

4.

1.

2.

3.

4.

5.

90

与
因

六

1.

24

1

2.

3.

4.

"

"

"

"

"

"

9.

10.

1.

1

"

"

2.

3.

7.

8

2

8.

9.

"

"

10.

与 体

1.

2.

24

3.

48

"

"

4.

5.

“

”

“

”

“

”

与

因

7

				*
			7 7 3	7 7 1 2 3 5 7
			7 7	7 7 1 4 7
				3 7

*

"

"

3

3

3

3

3

3

3

3

3

10

2-3

120

1.

1

2

3

4

2.

3.

1.

1

2

8

2.

1

N95/KN95

2

3

3.

N95/KN95

N95/KN95

与

1.

1

1

2

2 50

3

3 4

2.

1

2

3

4

5

6

7

与

1.

1

2

2.

"

"

1

"

"

2

"

"

3

3.

10

350ml

4.

GB18466-2005

10

因

1.

N95/KN95

2.

3.

84

75%

4.

24

5.

任

1.

2.

3.

4.

5.

1.

2.

24

9-1

3.

1

9-1

2

4.

1

2

"

"

3

7

5.

6.

7.

1

2

9-2

1.

N95/KN95

N95/KN95

1

2.

3.

4.

5.

6.

500mg/L

1000mg/L

75%

30

7.

15

250mg/L 500mg/L

15

8.

1000mg/L

30

9.

2000mg/L

30

500mg/L

30

10.

11.

1.

1

2.

3.

4.

7

1 4 7

1.

60 /

2.

3.

24

4.

5.

5.

与

1.

1

9-3

"

"

"

"

2

120

3

4

5

6

7

1

N95/KN95

2.

1

2

3

1

4

5

1

2

3

4

5

15

250mg/L 500mg/L

15

6

250mg/L

500mg/L

250mg/L 500mg/L

7

250mg/L 500mg/L

30

15

8

2000mg/L

30

500mg/L

30

9

3.

1

1

2

3

4

因

1.

24

2.

1.

2.

3.

与

1.

1

9-4

" " " "

2

120

2.

1

2

N95/KN95

3

4

1

2

3

4

因

1.

2.

9-1

9-2

9-3

9-4

							1	2	3	4	5	6	7	8	9	10	11	12	13	14	1	2	3	4	5	6	7	8	9	10	11	12	13	14			

- 1.
- 2.
3. "

1. " " "

3.

" " " x "

.

/


2.

3.

4.

5.

(




1.

2.

3.

120



1

2

120

3.

1.

2.

3.

4.

75%

2 3

20 30

1

1.

2.

3.

4.

5.

GB 19193-2015

A

30 500mg/L
1000mg/L 30
30 500mg/L
30
500mg/L 30
" "

" "

75%

3% 500mg/L

0.5% 3
0.05%
10000mg/L 5000mg/L /
500mg/L 1000mg/L 30

40mg/L 1.5
6.5mg/L 10mg/L
GB18466-2005

20000mg/L
1 2 2
70% 80% 20 1
2

2000mg/L
300mL/m²

200mL/m²
14

与

因

养

2020 1062

WS/T 774-2021

与

因

与

“ ”

因

200

1

2

与

1.

2.

”

”

3.

4.

5.

7

3 4

5ml

6.

2 3ml

7.

8.

9.

1.

2 3ml

2.

3

3

2 3ml

3.

3ml

50ml

4.

3ml

2 3ml

1

50ml

1g/L

K

1

				/
				0.1g
				0.78g
				0.02g
				0.112g
				0.02g
PH	7.4± 0.2	25		7.5ml

5.

30cm

5ml

50ml

6.

30 50ml

100 250ml

300ml

7.

1ml

3 5

10

8000rpm

5

2

HANK' S

3 5ml

8000rpm 5

2

	/
Tris	1.211g
	8.5g
	1.1g 1.47g 800ml
pH 7.5	1000ml

8.

3 5cm

3 5ml

15ml

9.

EDTA

5ml

1500 2000rpm

10

10.

5ml

30

1500 2000rpm 10

11.

WS/T776—2021

3

12.

WS/T 799-2022
300ml

WS/T776-2021

3

13.

1.

2.

3.

A B

24

4 2 8

24

-70

-70

-20

4

2

3

宣

1. RT-PCR

1

"

"

BSL-2

PCR

2

RT-PCR

SOP

SOP

SOP

95

15

56

30

WS/T 799-2022

WS/T776-2021

PCR

PCR

1ab open reading frame 1ab ORF1ab

nucl eocapsid protein N

2

ORF1ab N

RT-PCR

RT-PCR

PCR

2020 53

1

1.5-3

3

2021 548

2.

1

Ct 32

2

24

24

48

3.

7

3-4

4.

1

Ct 30

2

96

96

48

96

96

5.

"

"


2022 21

								§ 1. 2.	RT-PCR				*			IgM (+/-)	IgG (+/-)	
										ORF1ab Ct	N Ct	Ct		1. 2. 3.				

§ 1 2

*

3



"

"

1.

2.

"

"

3.

1.

"

"

	" 7	+3
"		1 2 3 5
7	3	3

2. " " " "

" 7	+3	"
	1 2 3 5 7	
3	3	

3.

13-1

与

专其

1.

2020 255

2.

2020 263

与

24

7

1 4 7

与 宣

" X+7" X +7


1 4 7

宣

"

"

"



与

1.

2.

3.

4.

2 3

20 30

" 1 "

WS394

WS696

WS/T395

WS/T396

5.

6.

350 ml

7.

4m²/

8.

9.

N95/KN95

10.

18

1

11.

,

12.

GB37487

GB37488

WS695

13.

WS/T698

A

1.

2.

3.

4.

2 3

20 30

5.

350ml

6.

7.

8.

9.

4m²/

10.

N95/KN95

11.

18

1

12.

13.

14.

WS/T698

B

与

1.

2.

8

3.

4.

5.

6.

350 ml

8 10

7.

8.

9. 3

10.

1.

" " " "

2.

50%

3.

4.

5.

6.

7.

8.

4 6

9.

1.

" " " "

2.

3.

4.

5.

6.

7.

8.

与

1.

2.

3.

2022 6 27
